

SLK 7

Miniaturised screwless luminaire connectors



- Super-flat – only 11 mm high and 27 mm wide
- 5 poles for power supply and DALI
- Different fixing and earthing variants

SLK 7

Gauge for wire stripping length

Easy detachment of upper wires with push-button

Test opening Ø 2.1 mm



0.5 - 2.5 mm² rigid and flexible wires

0.5 - 2.5 mm² solid wires
1.5 - 2.5 mm² rigid stranded wires

Detachment of wires by twisting and pulling.

Variants




SLK 7 Standard







SLK 7 OF Tape



E-PIEC (SLK 7 with E-PIEC must not be used for aluminium sheets!)




SLK 7 ALP




IEC ratings

Nominal Voltage		400 V (EN 60598)
Nominal Current		16 A
Clamping range	Installation end	0.5-2.5mm ² rigid, flexible
	Device end	0.5-2.5mm ² solid 1.5-2.5mm ² rigid stranded
Wire stripping length		9-10mm
Max. ambient temperature		T 85
Material	Terminal housing	PA 66 beige
		PC white
	Contact parts	Tinned copper / Tinned steel
	Earth-tags	E-PIEC Bronze
		E-SCHR Tinned steel


Cutouts



Cutout E-SCHR



Cutout E-PIEC



Extruded aluminium profile with M4 thread channel

Art. number	Type	Number of Poles	E _	OF	Printing	Packing / pcs	Weight (pcs./ g)	Box type
88168525	SLK 7/5 L'-N'-ERDE-D1+-D1-	5			L N E D1+ D1-	500	11.8	280 x 195 x 235 mm
88168390	SLK 7/5 E-SCHR L-N-ERDE-DA+-DA-	5	E-SCHR		L N E DA+ DA-	500	12.3	280 x 195 x 235 mm
88168391	SLK 7/5 E-PIEC L-N-ERDE-DA+-DA-	5	E-PIEC		L N E DA+ DA-	500	11.9	280 x 195 x 235 mm
88168393	SLK 7/5 ALP M4 E-SCHR L-N-ERDE-DA+-DA-	5	E-SCHR	ALP	L N E DA+ DA-	500	11.9	280 x 195 x 235 mm
88168453	SLK 7/5 OF TAPE E-SCHR L-N-ERDE-DA+-DA-	5	E-SCHR	OF Tape	L N E DA+ DA-	500	12.4	280 x 195 x 235 mm
88168795	SLK 7/5	5				500	11.8	280 x 195 x 235 mm


Explanation

SLK 7	Miniaturised screwless connector
E _	Additional code for earth-tag
OF Tape	Version without fixing pin but with double-sided adhesive tape
ALP	Version with fixing pin for aluminium profiles
empty	Version with fixing pin
PA	Polyamide
PC	Poycarbonate

Approvals



OVE Reg.



Electro Terminal GmbH & Co KG
Archenweg 58 | 6020 Innsbruck
Austria
T +43 512 3321
office@electroterminal.com

Legal Form of Company: GmbH & Co KG
Registered Office: Innsbruck

Registered No.: FN 231479k
VAT No.: ATU 56551948

Follow us on:



ELECTRO 
TERMINAL