


# DV LBK 1

Continuous row-lighting system  
with 5- or 7 poles



# DV L BK 1

|                               | IEC Ratings                                                            |
|-------------------------------|------------------------------------------------------------------------|
| Nominal voltage               | 400 V                                                                  |
| Max. ambient temperature      | T 85                                                                   |
| Max. number of poles          | 7                                                                      |
| Pitch between sockets         | 300-1560 mm                                                            |
| Wires                         | 1.5 mm <sup>2</sup> or 2.5 mm <sup>2</sup> solid wires                 |
| Insulation of wires           | H07V2                                                                  |
| Standardized colours of wires | L1 brown, L2 black, L3 grey, N blue, PE yellow/green, D1 white, D2 red |
|                               | Wire insulation free of halogen upon request                           |


| Art. number | Type                             | Number of wires + cross section | Packing / pcs | Weight (pcs./ g) | Box type           |
|-------------|----------------------------------|---------------------------------|---------------|------------------|--------------------|
| 88168058    | DV L BK 1/5 O.AKH 5X1,5 T840-47  | 5X1,5                           | 7             | 5459             | 560 x 560 x 235 mm |
| 88168540    | DV L BK 1/7 7X1,5 T1000-40       | 7X1,5                           | 5             | 8424             | 560 x 560 x 235 mm |
| 88166858    | DV L BK 1/5 O.AKH 5X1,5 T1180-47 | 5X1,5                           | 7             | 4727             | 560 x 560 x 235 mm |

## Explanation

|         |                                |
|---------|--------------------------------|
| DV L BK | Continuous row-lighting system |
|---------|--------------------------------|

## Approvals





Electro Terminal GmbH & Co KG  
Archenweg 58 | 6020 Innsbruck  
Austria  
T +43 512 3321  
[office@electroterminal.com](mailto:office@electroterminal.com)

Legal Form of Company: GmbH & Co KG  
Registered Office: Innsbruck

Registered No.: FN 231479k  
VAT No.: ATU 56551948

Follow us on:



**ELECTRO**   
**TERMINAL**