

KA

Strain relief for household
appliances





KA 1/1



KA 1/1



KA 1/1 IMP



IEC Ratings

T 125

Max. ambient temperature

Material

Terminal housing


PA black

Screw


Galvanized steel

PH1 | 0,5 Nm

Cutouts



KA 1/1 | Plate thickness 0.5 – 1.2 mm



KA 1/1 IMP | Plate thickness 0.5 – 1.2 mm


Art. number	Type	Packing / pcs	Weight (pcs./ g)	Box type
88167094	KA 1/1 (SCHRAUBEN MITVERPACKT) Q00	1000	5.1	320 x 215 x 290 mm
88167120	KA 1/1 IMP (SCHRAUBE 6196 MITVERP.) Q00	1000	5.6	320 x 215 x 290 mm

Explanation

KA 1	Cable connection with strain relief
1	Additional code for terminal housing
IMP	Additional code for alternative cutout
PA	Polyamide

Approvals





Electro Terminal GmbH & Co KG
Archenweg 58 | 6020 Innsbruck
Austria
T +43 512 3321
office@electroterminal.com

Legal Form of Company: GmbH & Co KG
Registered Office: Innsbruck

Registered No.: FN 231479k
VAT No.: ATU 56551948

Follow us on:



ELECTRO 
TERMINAL