

FD

Damp-proof junction boxes



- For quick and safe installation of all common cables
- Halogen-free
- Suitable for wall and ceiling mounting
- Protection class IP55

FD

Variants




FD 7 M



FD 10 S



FD 12 L



IEC Ratings

Nominal voltage

400 V

Nominal clamping area

2.5mm²

IP Protection

IP 55

Material

Box

Polyethylene flame-retardant


Lid

Polypropylene flame-retardant

Art. number	Type	Weight (pcs./ g)	Packing / pcs	Length	Width	Height
88168303	FD 10 S	24.7	140	80mm	43mm	36mm
88168304	FD 7 M	37.8	150	75mm	75mm	37mm
88168305	FD 12 L	45.6	80	85mm	85mm	40mm



Quick installation through external mounting.



Premoulded cable entries



Tool-free attachable lid



Enough space for wiring


Explanation

FD
7/10/12

Damp-proof junction box
Number of cable entries

Approvals





Electro Terminal GmbH & Co KG
Archenweg 58 | 6020 Innsbruck
Austria
T +43 512 3321
office@electroterminal.com

Legal Form of Company: GmbH & Co KG
Registered Office: Innsbruck

Registered No.: FN 231479k
VAT No.: ATU 56551948

Follow us on:



ELECTRO 
TERMINAL