


LBK 1 KH

Socket for continuous row-lighting
system LBK 1/7



LBK KH for continuous row lighting system LBK 1/7

Variants



LBK 1/5 KH



LBK 1/7 KH






Plate thickness 0.5 - 1.4 mm

IEC Ratings

Nominal Voltage

400 V

Terminal housing

PA 66


Art. number	Type	Number of Poles	OT / UT	Packing / pcs	Weight (pcs./ g)	Box type
08891902	LBK 1/5 KH	5	OT + UT	2300	8.7	595 x 395 x 455 mm
08012933	LBK 1/7 KH OT D1-D2	7	OT	1000	4.8	550 x 240 x 275 mm
08012932	LBK 1/7 KH UT	7	UT	1000	5.2	550 x 240 x 275 mm

Explanation

LBK 1	Component for continuous row-lighting systems
KH OT/UT	Socket cover, base
PA	Polyamide

Approvals





Electro Terminal GmbH & Co KG
Archenweg 58 | 6020 Innsbruck
Austria
T +43 512 3321
office@electroterminal.com

Legal Form of Company: GmbH & Co KG
Registered Office: Innsbruck

Registered No.: FN 231479k
VAT No.: ATU 56551948

Follow us on:



ELECTRO 
TERMINAL