


# LBK 1 KH

Socket for continuous row-lighting  
system LBK 1



- The LBK 1/5 KH (5-pole) and LBK 1/7 KH (7-pole) sockets from Electro Terminal were specifically engineered to handle complex wiring tasks within these systems easily, securely, and without the need for tools.

# LBK KH for continuous row lighting system LBK 1/7

## Variants



LBK 1/5 KH



LBK 1/7 KH






Plate thickness 0.5 - 1.4 mm

### IEC Ratings

Nominal Voltage

400 V

Terminal housing

PA 66


Art. number	Type	Number of Poles	OT / UT	Packing / pcs	Weight (pcs./g)	Box type
08012933	LBK 1/7 KH OT D1-D2	7	OT	1000	4.8	550 x 240 x 275 mm
08012932	LBK 1/7 KH UT	7	UT	1000	5.3	550 x 240 x 275 mm
08891902	LBK 1/5 KH	5	OT + UT	2300	8.7	595 x 395 x 455 mm

## Explanation

LBK 1	Component for continuous row-lighting systems
KH OT/UT	Socket cover, base
PA	Polyamide

## Approvals





Electro Terminal GmbH & Co KG  
Archenweg 58 | 6020 Innsbruck  
Austria  
T +43 512 3321  
office@electroterminal.com

Legal Form of Company: GmbH & Co KG  
Registered Office: Innsbruck

Registered No.: FN 231479k  
VAT No.: ATU 56551948

Follow us on:



**ELECTRO**   
**TERMINAL**