

# FD

## Damp-proof junction boxes



- For quick and safe installation of all common cables
- Halogen-free
- Suitable for wall and ceiling mounting
- Protection class IP55

# FD

## Variants




FD 7 M



FD 10 S



FD 12 L




### IEC Ratings

Nominal voltage	400 V
Nominal clamping area	2.5mm <sup>2</sup>
IP Protection	IP 55
Material	Box Polyethylene flame-retardant
	Lid Polypropylene flame-retardant

Art. number	Type	Weight (pcs./g)	Packing / pcs	Length	Width	Height
88168305	FD 12 L	45.6	80	85mm	85mm	40mm
88168304	FD 7 M	37.8	150	75mm	75mm	37mm
88168303	FD 10 S	24.7	140	80mm	43mm	36mm




Quick installation through external mounting.



Premoulded cable entries



Tool-free attachable lid




Enough space for wiring

## Explanation

FD  
7/10/12 Damp-proof junction box  
Number of cable entries

## Approvals





Electro Terminal GmbH & Co KG  
Archenweg 58 | 6020 Innsbruck  
Austria  
T +43 512 3321  
office@electroterminal.com

Legal Form of Company: GmbH & Co KG  
Registered Office: Innsbruck

Registered No.: FN 231479k  
VAT No.: ATU 56551948

Follow us on:



**ELECTRO**   
**TERMINAL**